

**REQUEST FOR PUBLIC COMMENTS  
ON DRAFT AIR PERMIT  
REGULATING THE EMISSIONS OF AIR POLLUTANTS**

(Docket No. 03-CA-PA-7)

Pursuant to Hawaii Revised Statutes (HRS), Chapter 342B-13 and Hawaii Administrative Rules (HAR), Chapter 11-60.1, the Department of Health, State of Hawaii (DOH), is requesting public comments on a **DRAFT PERMIT AMENDMENT** presently under review for:

**Covered Source Permit (CSP) No. 0045-01-C**

Application File No. 0045-10-C

Grace Pacific Corporation

400 TPH Non-Portable Plant, 150 TPH Screening Plant, and

600 TPH Aggregate Recycling Plant with 1,000 kW DEG

Located at: Makakilo Quarry, 91-120 Farrington Highway, Kapolei, Oahu

The **DRAFT PERMIT AMENDMENT** is described as follows:

The proposed modification for CSP No. 0045-01-C provides for the addition of a 600 ton per hour (TPH) aggregate recycling plant. The aggregate recycling plant consists of a grizzly feeder, jaw crusher, impact crusher, screen, conveyor belts, and stackers. The plant is to be powered by a 1,000 kW diesel engine generator. The plant will be equipped with watersprays to control fugitive dust emissions, and is subject to the federal standards of performance for new stationary sources, 40 CFR part 60, subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. The modification will also remove an existing 250 TPH portable crushing plant and 960 hp diesel engine generator from service. This permit, if approved, shall supersede the existing air permit for the facility. The potential emissions from the proposed aggregate recycling plant will increase facility emissions by the following amounts:

| <b>Aggregate Recycling Plant Potential Annual Emissions (TPY)</b> |                            |                          |
|---|----------------------------|--------------------------|
| <b>Pollutant</b>  | <b>Potential Emissions</b> | <b>Significant Level</b> |
| SO <sub>2</sub>   | 7.01                       | 40                       |
| NO <sub>x</sub>   | 25.07                      | 40                       |
| CO  | 2.55                       | 100                      |
| PM <sub>10</sub>  | 44.75                      | 15                       |
| VOC   | 0.10                       | 40                       |

The **ADMINISTRATIVE RECORD**, consisting of the **APPLICATION** and nonconfidential supporting materials from the applicant, the permit review summary, and the **DRAFT PERMIT AMENDMENT**, is available for public inspection during regular office hours, Monday through Friday, 7:45 a.m. to 4:15 p.m., at the following location:

**Oahu:**

- Clean Air Branch, Department of Health  
919 Ala Moana Blvd., Room 203, Honolulu, Oahu 96814

All comments on the draft permit amendment and any request for a public hearing must be in writing, addressed to the Clean Air Branch at the above address on Oahu, and must be postmarked or received by April 10, 2003.

Any person may request a public hearing by submitting a written request that explains the party's interest and the reasons why a hearing is warranted. At the sole discretion of the Director of Health, DOH may hold a public hearing if a hearing would aid in DOH's decision. If a public hearing is warranted, a public notice for the hearing will be published at least thirty days in advance of the hearing.

Interested persons may obtain copies of the administrative record or parts thereof by paying **five cents per page copying costs**. Please send written requests to the Oahu office of the Clean Air Branch listed above or call Mr. Kevin Kihara at the Clean Air Branch in Honolulu at (808) 586-4200.

Comments on the draft permit amendment should address, but need not be limited to, the permit conditions and the facility's compliance with federal and state air pollution laws, including: (1) the National and State Ambient Air Quality Standards; and (2) HRS, Chapter 342B and HAR, Chapter 11-60.1.

DOH will make a final decision on the permits after considering all comments and will send notice of the final decision to each person who has submitted comments or requested such notice.

CHIYOME L. FUKINO, M.D.  
Director of Health

Posted: March 11, 2003